

ASCE STANDARD

ASCE/T&DI/ICPI

**68-18**

# Permeable Interlocking Concrete Pavement



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Downloaded from ascelibrary.org by 3.94.202.151 on 11/09/24. Copyright ASCE. For personal use only; all rights reserved.

## Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers.  
Title: ASCE/T&DI/ICPI 68-18 permeable interlocking concrete pavement.  
Other titles: Permeable interlocking concrete pavement  
Description: Reston, Virginia : American Society of Civil Engineers, [2018] | Includes bibliographical references and index.  
Identifiers: LCCN 2018041944 | ISBN 9780784415009 (alk. paper)  
Subjects: LCSH: Pavements, Concrete—Standards—United States. | Concrete roads—Standards—United States. | Concrete blocks—Standards—United States.  
Classification: LCC TE278 .A54 2018 | DDC 625.8/4—dc23  
LC record available at <https://lccn.loc.gov/2018041944>

Published by American Society of Civil Engineers  
1801 Alexander Bell Drive  
Reston, Virginia, 20191-4382  
[www.asce.org/bookstore](http://www.asce.org/bookstore) | [ascelibrary.org](http://ascelibrary.org)

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

*Photocopies and permissions.* Permission to photocopy or reproduce material from ASCE publications can be requested by sending an e-mail to [permissions@asce.org](mailto:permissions@asce.org) or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

**Errata: Errata, if any, can be found at <https://doi.org/10.1061/9780784415009>.**

With the permission of Canadian Standards Association (operating as "CSA Group"), 178 Rexdale Blvd., Toronto, ON M9W 1R3, Table 4-4 and Table 4-5 are reproduced from CSA Group's standard *A23.1-14 Concrete Materials and Methods of Concrete Construction*. This material is not the complete and official position of CSA Group on the referenced subject, which is represented solely by the Standard in its entirety. While use of the material has been authorized, CSA Group is not responsible for the manner in which the data are presented, nor for any representations and interpretations. No further reproduction is permitted. For more information or to purchase standard(s) from CSA Group, please visit <http://shop.csa.ca/> or call 1-800-463-6727.

Copyright © 2018 by the American Society of Civil Engineers.  
All Rights Reserved.  
ISBN 978-0-7844-1500-9 (soft cover)  
ISBN 978-0-7844-7867-7 (PDF)  
Manufactured in the United States of America.

25 24 23 22 21 20 19 18 1 2 3 4 5

## ASCE STANDARDS

In 2014, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at [www.asce.org](http://www.asce.org). Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at [www.asce.org](http://www.asce.org).

The provisions of this document are written in permissive language and, as such, offer the user a series of options or

instructions but do not prescribe a specific course of action. Significant judgment is left to the user of this document.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (<https://ascelibrary.org/page/books/s-standards>).

This page intentionally left blank

# CONTENTS

<b>ASCE STANDARDS</b> . . . . .	iii
<b>PREFACE</b> . . . . .	vii
<b>ACKNOWLEDGMENTS</b> . . . . .	ix
<b>1 GENERAL</b> . . . . .	1
1.1 Scope . . . . .	1
1.2 Referenced Standards . . . . .	1
1.3 Variations from This Standard . . . . .	1
1.4 Engineer Required . . . . .	1
<b>2. DEFINITIONS</b> . . . . .	3
2.1 General . . . . .	3
2.2 Terms . . . . .	3
2.3 Consensus Standards and Other Referenced Documents . . . . .	6
<b>3 PRELIMINARY INFORMATION FOR THE DESIGN OF PERMEABLE PAVEMENTS</b> . . . . .	9
3.1 Project Suitability . . . . .	9
3.2 Primary PICP Design Options . . . . .	9
3.3 PICP System Components . . . . .	9
<b>4 PERMEABLE PAVEMENT DESIGN</b> . . . . .	15
4.1 General . . . . .	15
4.2 Structural Analysis . . . . .	15
4.2.1 Traffic Loads . . . . .	17
4.2.2 Soil Subgrade Characterization . . . . .	17
4.2.3 Expansive Soils and Other Considerations . . . . .	18
4.2.4 Aggregate Base and/or Subbase . . . . .	18
4.2.5 Other Aggregate Base and Subbase Considerations . . . . .	18
4.2.6 Concrete Paver, Aggregate Jointing, and Bedding Properties . . . . .	23
4.2.7 Concrete Paver Laying Patterns . . . . .	23
4.2.8 Structural Behavior of the Aggregate Subbase . . . . .	24
4.2.9 Soil Subgrade Characterization and Behavior . . . . .	26
4.2.10 Input Parameters for Mechanistic-Empirical Design of PICP . . . . .	27
4.2.11 Subbase Thickness Design Tables . . . . .	27
4.2.12 Structural Design Life . . . . .	28
4.2.13 Geosynthetics . . . . .	28
4.2.14 Edge Restraints . . . . .	31
4.2.15 Pedestrian-Only Use . . . . .	31
4.3 Hydrologic Analysis . . . . .	31
4.3.1 Overview of the Hydrologic System . . . . .	34
4.3.1.1 Input—Direct Rainfall . . . . .	34
4.3.1.2 Input—Contributing Drainage Area and/or Run-On . . . . .	34
4.3.1.3 Output—Subgrade Infiltration . . . . .	34
4.3.1.4 Output—Underdrain Discharge . . . . .	36
4.3.1.5 Output—Surface Overflow . . . . .	37
4.3.2 Selection of the PICP System Type . . . . .	37
4.3.2.1 No-Infiltration System . . . . .	38
4.3.2.2 Full-Infiltration System . . . . .	38
4.3.2.3 Partial-Infiltration System . . . . .	39

4.3.3	Water Balance Calculations . . . . .	40
4.3.3.1	Inputs . . . . .	40
4.3.3.2	Preliminary Estimate of Required Storage Volume . . . . .	40
4.3.3.3	No-Infiltration System Design . . . . .	40
4.3.3.4	Full-Infiltration System Design . . . . .	42
4.3.3.5	Partial-Infiltration System Design . . . . .	42
4.4	Balancing Structural and Hydrologic Designs. . . . .	43
4.5	Additional Design Considerations . . . . .	43
4.5.1	Subgrade Scarification . . . . .	43
4.5.2	Slopes . . . . .	44
4.5.3	Underground Utility Treatment . . . . .	44
4.5.4	Monitoring Well . . . . .	45
4.5.5	Adjacent Buildings and Pavement Systems . . . . .	46
4.6	Water Quality Benefits. . . . .	46
5	CONSTRUCTION GUIDELINES. . . . .	49
5.1	Construction Steps . . . . .	49
5.2	Preconstruction Meeting . . . . .	49
5.3	Erosion and Sediment Control. . . . .	50
5.4	Construction Inspection Checklist . . . . .	50
6	MAINTENANCE GUIDELINES . . . . .	53
6.1	Pavement Maintenance. . . . .	53
6.2	Inspection Activities . . . . .	53
6.3	Infiltration Testing . . . . .	53
6.4	Routine Maintenance. . . . .	54
6.5	Remedial Maintenance. . . . .	54
6.6	Winter Maintenance . . . . .	54
APPENDIX A	DESIGN EXAMPLES. . . . .	55
APPENDIX B-1	GUIDE CONSTRUCTION SPECIFICATION, PERMEABLE INTERLOCKING CONCRETE PAVEMENT, U.S. VERSION . . . . .	59
APPENDIX B-2	GUIDE CONSTRUCTION SPECIFICATION, PERMEABLE INTERLOCKING CONCRETE PAVEMENT, CANADIAN VERSION. . . . .	65
APPENDIX C	EXAMPLES OF ORIFICE AND COMMON WEIR EQUATIONS. . . . .	71
APPENDIX D	PICP STRUCTURAL DESIGN USING AASHTO 1993, <i>GUIDE FOR DESIGN OF PAVEMENT STRUCTURES</i> . . . . .	73
APPENDIX E	APPROXIMATE CORRELATION BETWEEN PERMEABILITY AND UNIFIED SOIL CLASSIFICATION . . . . .	77
REFERENCES	. . . . .	79
INDEX.	. . . . .	81

## PREFACE

Permeable pavements typically consist of pervious concrete, porous asphalt, or interlocking concrete paver units over an open-graded base or subbase layer(s). Permeable pavements are designed to infiltrate stormwater, reduce peak flows, improve stormwater quality, and promote groundwater recharge. They have become an integral part of low-impact development, sustainable design, green infrastructure, and best management practices for stormwater management. In order to be effective within municipal road networks, permeable pavements must be designed to provide sufficient structural capacity to accommodate the anticipated vehicle loadings while managing stormwater flows into and out of the permeable pavement.

Although there have been many well designed and constructed permeable pavements, this is a relatively new technology compared to conventional pavements, and there have been some performance concerns. These concerns include pavement surface rutting caused by loads exceeding the pavement structural design, settlement caused by improper base and/or subbase gradations, and insufficient compaction of the base or subbase. A common concern is clogging of the pavement surface from sediments tracked onto the pavement or transported by water run-on from adjacent surfaces.

This standard was written to address these concerns and more. It provides design, construction, and maintenance guidance for permeable interlocking concrete pavement to achieve stormwater management goals while providing a structurally adequate pavement section to accommodate the anticipated vehicular loading in a cost-efficient manner.

### Introduction

Permeable interlocking concrete pavement (PICP) can provide a durable and effective pavement and stormwater management system. As with any pavement and stormwater management practice, proper design, construction, and maintenance procedures are required. To better address these needs, this standard was prepared by the ASCE Permeable Interlocking Concrete Pavement Committee. This publication establishes guidelines for developing appropriate pavement structures for various stormwater drainage, traffic, and subgrade conditions as well as providing guidance on construction and maintenance.

This standard is written with the intent of being adopted in whole or in part for use by national, provincial, state, and local stormwater and road agencies for the consistent and effective design, construction, and maintenance of permeable interlocking concrete pavement systems. The overall goal is assisting design professionals, civil engineers, the industry, public stormwater and transportation agencies, and the wider public by establishing design standards for permeable interlocking concrete pavements. The document provides

- Definitions of terms common to permeable pavements;
- Methods for structural design to accommodate incidental and frequent vehicular use;
- Methods for hydrologic design to accommodate water infiltration and flow into, within, and out of the pavement system;
- Construction and inspection procedures;
- Guide construction specifications; and
- Maintenance procedures for the permeable pavement system.

PICP may help achieve compliance with many national, provincial, state, and local regulations, as well as transportation agency design requirements for the control of stormwater runoff. Requirements may include the following:

- Compliance with federal, provincial, state, and local transportation design standards;
- Compliance with pavement structural design and construction requirements;
- Compliance with vehicular and pedestrian safety and access requirements;
- Transportation asset management compliance, including lifecycle cost analysis and lifecycle assessment of environmental impacts;
- Stormwater runoff controls and regulatory compliance;
- Compliance with groundwater protection requirements;
- Postconstruction runoff volume and pollutant control for new development and redevelopment;
- Reductions in impervious cover (i.e., roofs and pavements) and resulting runoff;
- Runoff volume storage and/or infiltration to reduce overflows, especially combined sewer overflows, as well as reduction of flooding for a more resilient infrastructure;
- Compliance with total maximum daily load (TMDL) requirements for receiving waters;
- Management of water quality and/or quantity storm events; and
- Compliance with local building code requirements.

Permeable interlocking concrete pavements may assist in achieving regulatory program and policy compliance. Examples include the Great Lakes Protection Act, Species at Risk Act, National Pollutant Discharge Elimination System (NPDES), Canadian Federal Fisheries Act, U.S. Clean Water Act, U.S. Environmental Protection Agency (US EPA) Stormwater Assessment Program, Source Water Protection Plans, CAL-Green in California, the International Green Construction Code, ASHRAE Standard 189.1, and stormwater utility fee credits or other codes that require compliance with Leadership in Energy and Environmental Design (LEED) or similar sustainable design and construction rating systems.

Nonregulatory drivers that influence PICP use include the following: economics that often make PICP a lower-cost alternative to conventional drainage and stormwater management system designs, and project owner preference for conformance to sustainable rating systems for roads and transportation infrastructure. Examples include the Green Business Certification, Inc.'s Sustainable SITES Initiative, the Institute for Sustainable Infrastructure's Envision evaluation system, Greenroads, GreenPave, and the Federal Highway Administration's Infrastructure Voluntary Evaluation Sustainability Tool (INVEST).

Finally, other nonregulatory drivers include product, system, or project lifecycle analysis (LCA) of environmental impacts in the manufacture, construction, use, and end-of-life phase. Product Category Rules (PCRs) for segmental concrete paving products used in PICP are available from ASTM. These rules provide a useful framework for conducting a LCA, as well as for providing environmental product declarations for paving products.

This page intentionally left blank



## ACKNOWLEDGMENTS

### **Permeable Interlocking Concrete Pavement Standards Committee**

David K. Hein, P.Eng., M.ASCE, *Chair*  
David R. Smith, M.ASCE, *Vice Chair*  
Mary Davy, *Secretary*  
Chris Denich, P.Eng.  
Jennifer Drake, Ph.D.  
Kevin Earley, M.ASCE  
Bethany Eisenberg, M.ASCE  
Greg Hoffmann, P.E.  
Joseph B. Kerrigan, P.E., M.ASCE  
Christopher King, P.E., F.ASCE  
Kathlie S. Jeng-Bulloch, P.E., D.WRE, M.ASCE  
Keith H. Lichten, P.E., M.ASCE  
Glenn Herold, P.Eng., M.ASCE

Ken MacKenzie, P.E., M.ASCE  
Glenn MacMillan  
Lincoln Paiva, P.Eng.  
Donald Rissmeyer, P.E., CFM, M.ASCE  
Robert M. Roseen, Ph.D., P.E., D.WRE, M.ASCE  
Mark Smallridge, P.E., M.ASCE  
Mary Vancura, Ph.D., P.E.  
Harald von Langsdorff  
Neil Weinstein, P.E., M.ASCE

### ***Associate Members***

Robert Bowers, P.Eng., M.ASCE  
John Folts, P.E., M.ASCE  
John T. Kevern, Ph.D., P.E., M.ASCE